

DOCKET NO.: CARP-0057

PATENT

APPENDIX A

Claim Limitation	Support in Adair Application
24. A humanized immunoglobulin having complementarity determining regions (CDRs) from a donor immunoglobulin and heavy and light chain variable region frameworks from human acceptor immunoglobulin heavy and light chains	See page 1, lines 5-16, and page 7, line 32, through page 8, line 21.
which humanized immunoglobulin specifically binds to an antigen with an affinity constant of at least $10^8 \text{ M}^{-1}$ .	See page 11, lines 27-30.
wherein said humanized immunoglobulin comprises amino acids from the donor immunoglobulin framework outside both the Kabat CDRs and the structural loop CDRs of the variable regions,	See page 6, lines 14-23, page 8, lines 13-16, and page 19, line 16, to page 20, line 15.
wherein the donor amino acids replace corresponding amino acids in the acceptor immunoglobulin heavy or light chain frameworks,	See page 6, line 12, to page 7, line 5.
and each of said donor amino acids contributes to antigen binding as determined by X-ray crystallography.	Page 38, lines 1-12, and lines 23-38, and Figs. 3-4 of the application as filed reference residues that may "contribute to antigen binding" as determined using X-ray crystallography. Residues 48, 49, 71, 73, 76, 78, 88, and 91 are so identified in Figure 4.
49. A humanized immunoglobulin having complementarity determining regions (CDRs) from a donor immunoglobulin and heavy and light chain variable region frameworks from human acceptor immunoglobulin heavy and light chains	See page 1, lines 5-16, and page 7, line 32, through page 8, line 21.

DOCKET NO.: CARP-0057

PATENT

which humanized immunoglobulin specifically binds to an antigen with an affinity constant of at least $10^8$ M <sup>-1</sup> .	See page 11, lines 27-30.
wherein said humanized immunoglobulin comprises amino acids from the donor immunoglobulin framework outside both the Kabat CDRs and the structural loop CDRs of the variable regions,	See page 6, lines 14-23, page 8, lines 13-16, and page 19, line 16, to page 20, line 15.
wherein the donor amino acids replace corresponding amino acids in the acceptor immunoglobulin heavy chain framework	See page 6, line 12, to page 7, line 5.
at residues 48, 49, 71, 73, 76, 78, 88, and 91.	See Light chain 341B of Table 1, page 41.